

Publication - National Ocean Service - U.S. Coast Pilot 6, covers the Great Lakes system, including Lakes Ontario, Erie, Huron, Michigan, and Superior, their connecting waters, and the St. Lawrence River., 2016 (46th) Edition.

# Corrections

## Chapter 6, Paragraph 120, read:

(120) A dredged entrance channel leads from deep water in Niagara River through the lower entrance to Little River. In 2016, the controlling depth was 3½ feet. The upper entrance to Little River, marked by a private 344° range, had a reported controlling depth of 4 feet in 1980. Depths inside are about 4 to 7 feet.

**(L 906-2016)**

## Chapter 10, Paragraph 200, read:

(200) The Kawkawlin River, emptying into Saginaw Bay about 2 miles northwest of the mouth of the Saginaw River, is entered by a dredged channel that leads just inside the mouth. In 2016, the controlling depth was 2 feet to the mouth of the river. Continually changing conditions are reported at the mouth. Overhead power cables are 0.3 mile and 0.7 mile above the mouth with respective clearances of 51 feet and 58 feet. The abutments of a former railroad bridge are also 0.7 mile above the mouth. A fixed highway bridge 0.2 mile further upstream has a reported clearance of 10 feet. A slow-no wake speed is enforced on the river.

**(DD 27724; NOS 14867)**